

Material Safety Data Sheet MONODECK CEM SL

1:PRODUCT AND COMPANY IDENTIFICATION

Product Name: MONODECK CEM SL

Chemical Family: Cement based self leveling industrial surface system

Manufacturer:	Starke Construction Chemicals	
	Tel. +256 787 288 087	
Email:	info@starkepolymers.com	
Website:	www.Starke polymers.com	

2: COMPOSITION / INFORMATION ON INGREDIENTS Composition:

Cements, silica sands, additives.

Cements, plasticizers, silica sand and pigments.

Symbol	Risk Phrases	CAS No.	%
Xi	R36/37/38	65997-15-1	25 - 35

3: HAZARDS IDENTIFICATION

Hazard Information: Irritating to eyes, respiratory system and skin.

Classification: Xi. R36/37/38

4: FIRST AID MEASURES

Eyes: Irrigate immediately with copious quantities of water for several minutes. Obtain medical attention if necessary.

Skin: Remove contaminated clothing immediately. Wash immediately with copious quantities of water. Obtain medical advice if skin disorders develop. **Inhaation:** Remove from dust contaminated zone, obtain medical attention if necessary.

Ingestion: Wash out mouth with water. Obtain medical attention. Do not induce vomiting.

5: FIRE FIGHTING MEASURES

Flash Point:	None.
Lower Explosive Limit:	None.
Extinguishing Media:	Same as surrounding fire.
Personal Protective Equipment: None.	

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:Wear rubber boots in addition to the recommended protective clothing. **Environmental Precautions:** Prevent entry into drains, sewers and water courses.

Decontamination Procedures: Avoid the creation of dust in atmosphere. Gather into containers.

7: HANDLING AND STORAGE

Handling: Avoid creating dust. Avoid breathing dust. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid skin and eye contact.

Storage: Store in cool and dry area.

8: EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ingestation: Prevent eating, drinking or smoking in the area of product use.

Eye contact: Safety glasses/goggles which can be tightly sealed.

Skin contact: Protective gloves. Dustproof working clothes.

Respiratory protection: Approved dust mask.

Engineeringcontrols: Use only in well ventilated areas. Local exhaust ventilation is recommended. Atmospheric levels of dust must be maintained within the Occupational Exposure Standard.

Hygiene measures: Avoid skin and eye contact.

WEL (8 Hours TWA)

Name Tota	al inhalable	Respirable	
dus	t (mg/m3)	dust (mg/m3)	
Cement-Portland	10	4	
Silica – amorphous	6	2.4	

9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Powder	
Colour:	L ight Grey	
Odour:	Odourless	
pH (concentrate):	Not applicable	
Boiling Point (°C):	Not applicable	
Flash Point (closed cup) (°C): None		
Autoflammability (oC)	: Not applicable	
Water Solubility:	Can be mixed with water	

10: STABILITY AND REACTIVITY

Stability: Stable.

Conditions to Avoid: Keep away from open flame. **Chemical Incompatibility:** None.

11: TOXICOLOGICAL INFORMATION Health Effects

On Eyes: Irritating and may injure eye tissue if not removed promptly.

On Skin: Irritation. See "chronic" effects.

By Inhalation: Irritation to respiratory system. Inflammation of the nasal mucous membrane by exposure to cement dust.

By Ingestion: May cause irritation of mouth, throat and digestive tract.

Chronic: Cement, cementitious grouts and mortars are known to cause both irritant and allergic contact dermatitis. Prolonged skin contact can result in chemical burns.

12: ECOLOGICAL INFORMATION

Environmental Assessment: Little detailed information is available on the ecological effects of this product, but its overall environmental impact is not regarded as significant.

Mobility:can be mixed with water

Degradability: Not readily biodegradable.

Bioaccumulation: Not expected

Acute fish toxicity: Not expected to be ecotoxic to fish/daphnia/algae.

13: DISPOSAL CONSIDERATION

Disposal must be in accordance with local and national legislation.

Unused Product: Dispose off in an approved manner. Small quantities maybe mixed with water, allowed to harden and dispose of as low hazard waste.

Used/Contaminated Product: As for unused product.

Packaging: Must be disposed off as per the local authority.

14: TRANSPORT INFORMATION

This product is not classified as dangerous for transport.

15: REGULATORY INFORMATION

Hazard Label Data:



Irritant

Named Ingredients: Cement powders Risk Phrases:

R36/37/38 Irritating to eyes, skin and respiratory system.

Safety Phrases:

S22 Do not breathe dust.

S24/25 Avoid contact with skin and eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

Disclaimer:

The information contained herein is derived from the best available sources and is believed to be accurate. However, no guarantee is expressed or implied regarding the accuracy of the data given in the use of this product.



Starke Polymer Ltd Plot 158, kampala uganda Tel + 256 787 288 087 Tel + 256 708 693 991 Email: info@starkepolymers.com www. Starke polymers.com